

ARIZONA DEPARTMENT OF TRANSPORTATION

REPORT NUMBER: FHWA-AZ88-212

USE OF SOLAR ENERGY FOR LIGHTING OF OVERHEAD GUIDE SIGNS, ROADWAY LIGHTING, AND INTERSECTION TRAFFIC SIGNALS

Final Report

Prepared by:

Jonathan E. Upchurch
Paul E. Russel
Edward F. McBrien
College of Engineering and Applied Science
Arizona State University
Tempe, Arizona 85287

January 1990

Prepared for:

Arizona Department of Transportation 206 South 17th Avenue Phoenix, Arizona 85007 in cooperation with U.S. Department of Transportation Federal Highway Administration The contents of this report reflect the views of the authors, who are responsible for the facts and the accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the Arizona Department of Transportation or the Federal Highway Administration. This report does not constitute a standard, specification, or regulation. Trade or manufacturers' names which may appear herein are cited only because they are considered essential to the objectives of the report. The U.S. Government and the State of Arizona do not endorse products or manufacturers.

TECHNICAL REPORT DOCUMENTATION PAGE

| 1. REPORT NO. FHWA-AZ88-212 | 2. GOVERNMENT ACCESSION NO. | 3. RECIPIENT'S CATALOG NO. |
|---|---------------------------------|---|
| 4. TITLE AND SUBTITLE | | 5. REPORT DATE |
| USE OF SOLAR ENERGY FOR LIGHTING OF OVERHEAD GUIDE SIGNS. | | February 1989 |
| ROADWAY LIGHTING, AND INTERS | 6. PERFORMING ORGANIZATION CODE | |
| 7. AUTHOR (S) | | 8. PERFORMING ORGANIZATION REPORT NO. |
| Jonathan E. Upchurch, Paul E Edward F. McBrien | CART-1989-1 | |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS Center for Advanced Research in Transportation and Energy Systems Research Center CEAS/ Arizona State University, Tempe, AZ 85287 | | 10. WORK UNIT NO. |
| | | |
| | | 11 CONTRACT OR GRANT NO. HPR-PL-1(31) Item 212 |
| | | 13. TYPE OF REPORT & PERIOD COVERED |
| 12. SPONSORING AGENCY NAME AND AD | HESS | Final Report |
| ARIZONA DEPARTMENT OF TRAN | SPORTATION | March 1986 - February 1989 |
| 206 S. 17TH AVENUE PHOENIX, ARIZONA 85007 | | 14. SPONSORING AGENCY CODE |
| 1 | | |

15. SUPPLEMENTARY NOTES

Prepared in cooperation with the U.S. Department of Transportation, Federal Highway Administration
The opinions and conclusions are those of the authors, and do not necessarily reflect the official views or policies of the Federal Highway Administration.

16. ABSTRACT

The principal objective of this study was to demonstrate the technological and economic feasibility (or lack thereof) of photovoltaic powered systems for overhead guide sign lighting, roadway lighting, and traffic signalization.

A preliminary technical and economic feasibility study concluded that the first two applications were feasible, but that full-scale traffic signalization was not. In lieu of full-scale traffic signalization, the project developed a system to power flashing warning lights.

Photovoltaic systems were designed, constructed, field tested and evaluated for overhead guide sign lighting, roadway lighting, and powering of flashing warning lights.

All these systems were found to be dependable and economical for application at remote sites where a conventional power supply is not available. In addition, previous research has shown that roadway lighting can have a safety benefit at remote locations which have a high nighttime accident rate and that flashing warning lights have a safety benefit.

| 17.KEYWORDS Solar Energy, Photovoltaic S Lighting | Systems, | 18. DISTRIBUTION Document is av U. S. public thre National Techn Service, Springfield, Vire | vailable to the ough the ical Information | Regista | 15155 UNATHAN EVERETTI UPCHURCH UPCHURCH ARIZONA, U.S.L | |
|---|--------------------|---|---|---------|---|---|
| 19. SECURITY CLASSIF. (of this report) | 20. SECURITY CLASS | IF. (of this page) | 21. NO. OF PAG | GES | 22. PRICE | ᅥ |
| Unclassified | Unclassified | | 73 | | | |

ACKNOWLEDGMENTS

This report was prepared as part of Project HPR-PL-1(31) Item 212 - "Use of Solar Energy for Lighting of Overhead Guide Signs, Roadway Lighting, and Intersection Traffic Signals." This research was conducted by the Center for Advanced Research in Transportation and the Energy Systems Research Center of the College of Engineering and Applied Sciences at Arizona State University in conjunction with the Arizona Department of Transportation and the U.S. Department of Transportation, Federal Highway Administration.

Throughout the conduct of the research, three organizations made significant contributions to the project. The project staff wishes to recognize the assistance of those organizations,

- Arizona Transportation Research Center, Arizona Department of Transportation
- Electrical Operations Branch, Traffic Engineering Section, Highway Division, Arizona Department of Transportation
- Office of Safety and Traffic Operations Research and Development, Federal Highway Administration

Many individuals were particularly helpful in the project; it is not possible to recognize them all. The following deserve special recognition:

- Mr. Rudy Kolaja, Arizona Transportation Research Center
- Mr. Tom Newton, Traffic Engineering Section, Arizona Department of Transportation
- Mr. Bob Etheredge and Mr. Ed Pressley, Electrical Operations Branch, Traffic Engineering Section, Arizona Department of Transportation
- Mr. John Arens, Federal Highway Administration

SI (METRIC) UNIT CONVERSION FACTORS

The material contained in this report is presented primarily in terms of English units. The following factors may be used to convert the measures used in this report between the English units and the International System of Units (SI):

```
1 \text{ mile} = 1.6093 \text{ kilometers}
1 \text{ kilometer} = 0.6214 \text{ miles}
1 \text{ foot} = 0.3048 \text{ meter}
1 \text{ meter} = 3.2808 \text{ feet}
1 \text{ square foot} = 0.0929 \text{ meters squared}
1 meter squared = 10.764 square feet
1 \text{ inch} = 2.54 \text{ centimeters}
1 \text{ centimeter} = 0.3937 \text{ inches}
Celsius temperature = (Fahrenheit temperature - 32) x 5/9
Fahrenheit temperature = (Celsius temperature \times 9/5) + 32
1 \text{ kilojoule} = 0.000278 \text{ kilowatt-hours}
1 kilojoule = 1000 watt-seconds
1 kilojoule = 0.949 British Thermal Units
1 British Thermal Unit = 1.054 kilojoule
1 \text{ gallon} = 4.405 \text{ liters}
1 \text{ liter} = 0.227 \text{ gallons}
```

TABLE OF CONTENTS

| ACKNOWLEDGMENTS : ii SI (METRIC) CONVERSION FACTORS : iii LIST OF FIGURES : vi CHAPTER 1 INTRODUCTION : 1 OVERHEAD GUIDE SIGN LIGHTING : 2 ROADWAY LIGHTING : 3 TRAFFIC SIGNALIZATION : 3 CHAPTER 2 PROJECT DESCRIPTION : 5 TASK 1. REVIEW EXISTING APPLICATIONS : 5 TASK 2. PRELIMINARY TECHNICAL AND ECONOMIC FEASIBILITY STUDY : 5 |
|--|
| SI (METRIC) CONVERSION FACTORS LIST OF FIGURES CHAPTER 1 INTRODUCTION OVERHEAD GUIDE SIGN LIGHTING ROADWAY LIGHTING TRAFFIC SIGNALIZATION CHAPTER 2 PROJECT DESCRIPTION TASK 1. REVIEW EXISTING APPLICATIONS 5 |
| LIST OF FIGURES CHAPTER 1 INTRODUCTION OVERHEAD GUIDE SIGN LIGHTING ROADWAY LIGHTING TRAFFIC SIGNALIZATION CHAPTER 2 PROJECT DESCRIPTION TASK 1. REVIEW EXISTING APPLICATIONS 5 |
| CHAPTER 1 INTRODUCTION |
| OVERHEAD GUIDE SIGN LIGHTING |
| ROADWAY LIGHTING |
| TRAFFIC SIGNALIZATION |
| CHAPTER 2 PROJECT DESCRIPTION |
| TASK 1. REVIEW EXISTING APPLICATIONS |
| |
| |
| |
| |
| The state of the s |
| TASK 5. DESIGN OF PHOTOVOLTAIC SYSTEMS |
| TASK 6. CONSTRUCT AND INSTALL SYSTEMS |
| TASK 7. TEST SYSTEMS |
| TASK 8. PERFORM ECONOMIC ANALYSIS |
| TASK 9. PREPARE FINAL REPORT AND RECOMMENDATIONS |
| CHAPTER 3 TECHNICAL AND ECONOMIC FEASIBILITY STUDY 8 |
| OVERHEAD GUIDE SIGN LIGHTING APPLICATION |
| ROADWAY LIGHTING APPLICATION |
| TRAFFIC SIGNALIZATION APPLICATION |
| FLASHING WARNING LIGHT APPLICATION |
| CHAPTER 4 DESIGN OF PHOTOVOLTAIC SYSTEMS |
| COMMON DESIGN SPECIFICATIONS |
| OVERHEAD GUIDE SIGN LIGHTING |
| ROADWAY LIGHTING 23 |
| FLASHING WARNING LIGHT |
| A DOUBLE FLASHING WARNING LIGHT |
| CHAPTER 5 CONSTRUCTION AND INSTALLATION OF SYSTEMS 26 |
| CHAPTER 6 FIELD TESTING |
| CHAPTER 7 ECONOMIC ANALYSIS |
| REPLACEMENT OF EXISTING CONVENTIONALLY-POWERED SYSTEMS |
| NEW SYSTEMS |

| | | Page |
|--------------|---|------|
| CHAPTER 8 | RECOMMENDED SPECIFICATIONS FOR PHOTOVOLTAIC | |
| | SYSTEMS | 37 |
| SYSTEM | OUTPUT SPECIFICATIONS | 38 |
| SYSTEM | INPUT SPECIFICATIONS | 38 |
| OTHER (| CONSTRAINTS | 39 |
| CHAPTER 9 | CONCLUSIONS | 41 |
| CHAPTER 10 | RECOMMENDATIONS | 42 |
| CHAPTER 11 | RECOMMENDATIONS FOR FURTHER STUDY | 44 |
| APPENDIX A | PHOTOVOLTAIC APPLICATIONS IN HIGHWAY | |
| | ENGINEERING | 45 |
| APPENDIX B | SOLAR INSOLATION IN THE PHOENIX, ARIZONA AREA . | 50 |
| LIST OF REFI | ERENCES | 65 |

LIST OF FIGURES

| Figure | Description | Page |
|--------|--|------|
| 1 | Typical 40 Watt Photovoltaic Module | 16 |
| 2 | Schematic of Photovoltaic System | 17 |
| 2a | Electric Circuit Details, DC System | 18 |
| 2b | Electric Circuit Details, AC System | 19 |
| 3 | Installation of the Roadway Lighting System | 27 |
| 4 | Installation of the Array for the Flashing Warning Light System and the Sign Lighting System | 28 |
| 5 | Detail of Structure Used for the Flashing Warning Light System and the Sign Lighting System | 29 |
| 6 | Completed Roadway Lighting System | 30 |
| 7 | Arrays for the Sign Lighting System and the Flashing Warning Light System | 31 |
| 8 | Flashing Warning Lights Powered by the Photovoltaic System | 32 |